

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office AUG 07 1992

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 07 1992

The applicant PEGGY BAKER

314 OLIVEIRO CRT., of HENDERSON,
Street and No. or P.O. Box No. City or Town

NEVADA, 89015, hereby make^s application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is UNDERGROUND
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.0062 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet _____

3. The water to be used for COMMERCIAL
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated _____

(b) Stockwater, state number and kinds of animals to be watered _____

(c) Other use (describe fully under No. 12. "Remarks") _____

(d) Power:

(1) Horsepower developed _____

(2) Point of return of water to stream _____

5. The water is to be diverted from its source at the following point THE SOUTHWEST QUARTER (SW $\frac{1}{4}$) OF
Describe as being within a 40-acre subdivision of public
THE SOUTHWEST QUARTER (SW $\frac{1}{4}$) OF SECTION 3, TOWNSHIP 23 SOUTH, RANGE 61 EAST,
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. M.D.M. FROM WHICH THE SOUTHWEST
CORNER OF SAID SECTION 3, BEARS S 45°41'20" W, A DISTANCE OF 1371.38 FEET.

6. Place of use THE N $\frac{1}{2}$ OF THE NE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF SECTION 3, TOWNSHIP 23
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
SOUTH, RANGE 61 EAST, M.D.M.

7. Use will begin about JANUARY 1st and end about DEC 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) DRILLED WELL AND PUMP
State manner in which water is to be diverted, i.e. diversion structure, ditches and

flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$20,000
10. Estimated time required to construct works.....2 YEARS
If well completed, describe works.
11. Estimated time required to complete the application of water to beneficial use.....5 YEARS
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:
ONE UNIT

By: Gerald L. Wirthlin
830 E. Sahara #6
Las Vegas Nevada 89104

Compared bc/bc ab/se

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0062 cubic feet per second , but not to exceed 0.529 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 6, 1995

Proof of completion of work shall be filed before September 6, 1995

Application of water to beneficial use shall be filed on or before August 6, 1998

Proof of the application of water to beneficial use shall be filed on or before September 6, 1998

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my
office, this 6th day of August
A.D. 1993

[Signature]
State Engineer

CANCELLED OCT 27 1995 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

[Signature]
STATE ENGINEER

(0)-2145 (Rev. 9-89)